



**THANK YOU for purchasing our EURO+DRIVE® system. This install procedure is fairly easy but if you do run into any difficulties please do not hesitate to contact us.**

**Tools Needed:**

EURO | DRIVE® DEVICE  
 PC BASED COMPUTER (WINDOWS OS)

**Time Needed:** 25-55min (Dependant on Software Version)

**Skill Level (1-5):** .5 (Yes, POINT 5)

**INSTALL PROCEDURE**

STEP 1 - Open the EURO+DRIVE® box and insert the USB card into your computer (Pic 1)

STEP 2 – INSTALL the My Genius Software, this installs all the necessary software and drivers (Pic 2)

STEP 3 UPDATE your client software. Then plug the EURO | DRIVE into your computer, and UPDATE the EURO | DRIVE. After this is complete, proceed to STEP 7.

STEP 7 Plug the EURO | DRIVE™ into the OBD2 port with the included serial to OBD2 cable, place key in ignition.

STEP 8 - Follow the dashboard on and off prompts. The unit will first IDENTIFY your ECU, then READ and copy your stock file to the EURO | DRIVE™ device.

**AFTER IDENTIFICATION -->(Select WORK--->READ--->ABARTH-->500 2010+---->1.4.L MULTI-AIR---->CAN)**

STEP 9 - Once the file is stored on the E+D device please proceed back to your computer and plug the unit in via the USB

STEP 10 - Start the "My genius" Software and click " **DOWNLOAD FROM MYGENIUS**"




STEP 11 Copy the MYGfile.FPF file to your desktop

STEP 12 - Now log back in to your EURO+DRIVE® PORTAL/CLOUD and select upload file and upload the MYGfile.FPF to your personal stock folder.

STEP 13 - After uploading your stock file, **please upload a note or document list of your current modifications, and/or complete the tune request form located in the shared manuals and instructions folder in order to customize your Phase 2 map or dual map selection.**

**\*\*\*\* We will be AUTOMATICALLY notified that you have uploaded your stock file, please allow 24hrs for your file. Other phase files will come automatically and you will be notified when updated files are available via email.**

**INSTALL & READ/WRITE INSTRUCTIONAL PHOTOS**



**WRITING TO YOUR ECU: PLEASE UPDATE YOUR CLIENT SOFTWARE AND HANDHELD BEFORE WRITING**

STEP 1 - Once you are notified there is a new file Proceed to your EURO+DRIVE™ Portal (Pic 5)

STEP 2 - Copy your new file to the desktop ( IE. xxxPHASE0.FPF)

STEP 3 - OPEN the “MY GENIUS” software and select “**UPLOAD TO MY GENIUS**” (Pic 7)

STEP 4 - Now UPLOAD your New file ( IE. xxxPHASE0.FPF)

STEP 5 - Go out to the Car plug in the EURO+DRIVE® via the OBD2 Port and place the key in ignition

STEP 6 - Select “**WORK**” then select “**WRITE**” and follow the prompts (See Writing instructions BELOW)

**\*\*\*PLEASE ENSURE YOU SELECT THE CORRECT FILE, click on the right arrow to scroll between calibration files.**  
 (Pic 8)

**\*\*\*IMPORTANT WRITING INSTRUCTIONS\*\*\***

1. Allow for AT LEAST 10 seconds between ignition on/off cycles. This gives the ECU time to recognize and resolve flash procedure DTCs, as well as sensor checks and system learning.
2. When turning the dash off to follow device prompts, completely remove key from ignition each time
3. Try not to use AUX devices, radio, AC, or other functions from within the car while doing this procedure. This can possibly disrupt voltage readings emulated from the unit to the ECU, causing codes or interruptions, etc.
4. After completing the reading of your ECU, the coolant temp gauge on the dash will rise to max, and then fall back to normal. Do not turn off the dash until it has done this.
5. When performing the write procedure, select the PARTIAL WRITE. Selecting the TOTAL WRITE function could result in ECU damage.
6. Under no circumstances do you reset your device at anytime unless instructed by Eurocompulsion to do so.
7. Once the flashing procedure is finished and tool disconnected, turn ignition on for 10 seconds and then off before starting the vehicle for the first drive.

***Congratulations Your All Finished! Thank you for your purchase. If you have any comments or concerns please do not hesitate to contact us.***